

Contents	Page
European foreword	5
Introduction.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions.....	9
4 Symbols and abbreviations.....	9
5 Lighting design criteria	10
5.1 Luminous environment.....	10
5.2 Luminance distribution.....	11
5.2.1 General.....	11
5.2.2 Reflectance of surfaces	12
5.2.3 Illuminance on surfaces	12
5.3 Illuminance	12
5.3.1 General.....	12
5.3.2 Scale of illuminance	12
5.3.3 Illuminances on the task area or activity area	13
5.3.4 Illuminance on the immediate surrounding area	14
5.3.5 Illuminance on the background area	15
5.3.6 Illuminance uniformity.....	15
5.4 Illuminance grid	16
5.5 Glare.....	18
5.5.1 General.....	18
5.5.2 Limiting luminaire luminance	19
5.5.3 Discomfort glare.....	20
5.5.4 Veiling reflections and reflected glare.....	22
5.6 Lighting in the interior space	22
5.6.1 General.....	22
5.6.2 Cylindrical illuminance requirement in the activity space.....	22
5.6.3 Modelling	22
5.6.4 Directional lighting of visual tasks.....	23
5.7 Colour aspects.....	23
5.7.1 General.....	23
5.7.2 Colour appearance of the light	23
5.7.3 Colour rendering.....	24
5.8 Flicker and stroboscopic effects	24
5.8.1 General.....	24
5.8.2 Flicker	24
5.8.3 Stroboscopic effect.....	25
5.9 Lighting of work stations with Display Screen Equipment (DSE)	25
5.9.1 General.....	25
5.9.2 Luminaire luminance limits with downward flux	25
6 Lighting design considerations	26
6.1 General.....	26
6.2 Illuminance requirements and recommendations	27
6.2.1 General.....	27

6.2.2	Lighting of the task area or activity area and its immediate surrounding area (see 5.3)	27
6.2.3	Lighting of the space.....	27
6.2.4	Adjustability of the lighting system.....	28
6.3	Maintenance factor	28
6.4	Energy efficiency requirements	29
6.5	Additional benefits of daylight	29
6.6	Variability of light.....	30
6.7	Room brightness	30
7	Schedule of specific lighting requirements.....	30
7.1	Composition of the tables.....	30
7.2	Schedule of task and activity areas	31
7.3	Lighting requirements for task areas, activity areas, room and space brightness.....	33
8	Verification procedures.....	91
8.1	General.....	91
8.2	Illuminances	91
8.3	Unified Glare Rating.....	91
8.4	Colour rendering and colour appearance	91
8.5	Luminaire luminance	91
8.6	Maintenance schedule	91
Annex A (informative)	Recommended practice regarding implementation of UGR tabular method for 'non-standard' situations	92
A.1	General.....	92
A.2	Recommended Practices.....	92
A.2.1	Deviating luminaire sizes	92
A.2.2	Irregular area shapes	92
A.2.3	Irregular luminaire placement patterns.....	92
A.2.4	Deviating room reflectances.....	92
A.2.5	Multiple luminaire types.....	93
A.2.6	Luminaires with (only) up-lighting or luminousceilings	93
A.2.7	Room dimensions smaller or larger than the tabular values	93
Annex B (informative)	Additional information on visual and non-visual (non-image forming) effects of light	94
8.1	General.....	94
8.2	Perceived room brightness.....	94
8.3	Alternative parameters	94
8.3.1	General.....	94
8.3.2	Mean ambient illuminance, E_{amb} (Goven et al.)[1].....	94
8.3.3	Mean room surface luminous exitance, M_{rs} (Cuttie)[2]	95
8.3.4	Visual lightness and interest - 40 degree band luminance (Loe et al.)[3]	95
8.4	Adaptation luminance within the normal visualfield	96
8.5	The influence of spectral power distribution onnon-image forming effects.....	96

8.6	Varying lighting conditions.....	96
8.7	Daylight provision.....	97
	Annex C (informative) Lighting design considerations - Examples	98
C.1	Example for offices	98
C.2	Example for industry machine workshop	99
C.3	Example for industrial machine workshop with inspection area.....	101
C.4	Example for electronics industry	102
	Annex D (informative) Transportation areas - Railway installations.....	104
D.1	Platform edge.....	104
D.2	Limitation of glare for train drivers.....	104
D.3	Maintenance sheds	104
D.4	Circulation areas	104
	Annex E (informative) A-deviations	105
	Bibliography	106
	Index	109